

## **Coronavirus disease 2019 (COVID-19)** Situation Report – 42

Data as reported by 10AM CET 02 March 2020

#### **HIGHLIGHTS**

- Six new Member States (Armenia, Czechia, Dominican Republic, Luxembourg, Iceland, and Indonesia) reported cases of COVID-19 in the past 24 hours.
- A team of WHO experts has arrived in Tehran, Iran to support the COVID-19 response. The objectives are to identify transmission dynamics and at-risk populations, and provide technical guidance. Further information can be found here.
- Containment remains the top priority for all countries. Management for COVID-19 globally, however, is not a one-size-fits-all approach and must be tailored to the transmission scenario a country faces. Early robust measures are key to saving lives and halting transmission, notes the WHO Director-General. More information can be found here.
- WHO's Operations Supply and Logistics team are working across numerous areas to support the COVID-19 response. Activities include working to establish a Supply Chain Coordination Cell and providing a technical briefing for G20 members on the personal protective equipment (PPE) market situation. More information can be found in the Subject in Focus.

# SITUATION IN NUMBERS total and new cases in last 24 hours

#### Globally

88 948 confirmed (1806 new)

#### China

80 174 confirmed (206 new) 2915 deaths (42 new)


#### **Outside of China**

8774 confirmed (1600 new) 64 countries (6 new) 128 deaths (24 new)

#### WHO RISK ASSESSMENT

China Very High Regional Level Very High Global Level Very High

Figure 1. Countries, territories or areas with reported confirmed cases of COVID-19, 02 March 2020



#### SUBJECT IN FOCUS: UPDATE ON OPERATIONS SUPPLY AND LOGISTICS

The WHO Operations Supply and Logistics (OSL) team continues to work across numerous areas to support emergency operations within a tightening market for supplies essential for the COVID-19 response.

#### Recent OSL activities are as follows:

- Together with the United Nations World Food Programme (WFP), United Nations Children's Fund (UNICEF) and the World Bank, WHO is working on a proposal to establish a Supply Chain Coordination Cell. This interagency team will help improve information management and coordination to support strategic guidance, operational decision-making, and overall monitoring.
- WHO has contacted the Global Health Security Initiative to address access to strategic national stockpiles.
   WHO is also engaging with the Gates Foundation, the Clinton Health Access Initiative (CHAI), the World Bank and UNICEF, both as part of the Supply Chain Coordination Cell and to establish bridge financing mechanisms, data access and analysis to support planning, forecasting and market access.
- Weekly meetings of the Pandemic Supply Chain Partnership Network (PSCN) continue, along with bilateral
  discussions with manufacturers and distributors to advocate for the release and prioritization of supplies for
  the health care response. A technical briefing on the personal protective equipment (PPE) market situation is
  planned for G20 members next week, and PSCN members will engage with WFP to develop infection
  prevention and control (IPC) technical guidance on cargo handling.
- In cooperation with the International Humanitarian City in Dubai and with aircraft provided by the government of the United Arab Emirates (UAE), WHO has organized a flight from Dubai to Iran to support the first delivery of emergency PPE and laboratory tests.
- Since February 14, WHO has shipped PPE to more than 47 countries, and there are currently 22 additional countries to which PPE shipments are ready to be made. WHO has also shipped laboratory testing equipment to 93 countries.

### **SURVEILLANCE**

Table 1. Confirmed and suspected cases of COVID-19 acute respiratory disease reported by provinces, regions and cities in China, Data as 02 March 2020

Province/	Population (10,000s)	1	In last 24 hours	Cumulative		
Region/ City		Confirmed cases	Suspected cases	Deaths	Confirmed cases	Deaths
Hubei	5917	196	80	42	67103	2803
Guangdong	11346	1	0	0	1350	7
Henan	9605	0	0	0	1272	22
Zhejiang	5737	1	4	0	1206	1
Hunan	6899	0	0	0	1018	4
Anhui	6324	0	0	0	990	6
Jiangxi	4648	0	0	0	935	1
Shandong	10047	2	0	0	758	6
Jiangsu	8051	0	0	0	631	0
Chongqing	3102	0	1	0	576	6
Sichuan	8341	0	2	0	538	3
Heilongjiang	3773	0	0	0	480	13
Beijing	2154	1	12	0	414	8
Shanghai	2424	0	11	0	337	3
Hebei	7556	0	0	0	318	6
Fujian	3941	0	0	0	296	1
Guangxi	4926	0	0	0	252	2
Shaanxi	3864	0	0	0	245	1
Yunnan	4830	0	3	0	174	2
Hainan	934	0	1	0	168	5
Guizhou	3600	0	0	0	146	2
Tianjin	1560	0	9	0	136	3
Shanxi	3718	0	0	0	133	0
Liaoning	4359	0	16	0	122	1
Hong Kong SAR	745	3	0	0	98	2
Jilin	2704	0	2	0	93	1
Gansu	2637	0	0	0	91	2
Xinjiang	2487	0	0	0	76	3
Inner Mongolia	2534	0	0	0	75	0
Ningxia	688	1	0	0	74	0
Taipei and environs	2359	1	0	0	40	1
Qinghai	603	0	0	0	18	0
Macao SAR	66	0	0	0	10	0
Xizang	344	0	0	0	1	0
Total	142823	206	141	42	80174	2915

Table 2. Countries, territories or areas outside China with reported laboratory-confirmed COVID-19 cases and deaths. Data as of 02 March 2020

deaths. Data as of 02 h	Total	Total		Total		Days since	
Country	confirmed*	confirmed	Total	new	Transmission	last reported	
Country	cases	new cases	deaths	deaths	classification <sup>†</sup>	case	
Western Pacific Region		new cases		acatiis		case	
Republic of Korea	4212	476	22	4	Local transmission	0	
Japan	254	15	6	1	Local transmission	0	
Singapore	106	4	0	0	Local transmission	0	
Australia	27	2	1	1	Local transmission	0	
Malaysia	24	0	0	0	Local transmission	3	
Viet Nam	16	0	0	0	Local transmission	18	
Philippines	3	0	1	0	Imported cases only	27	
Cambodia	1	0	0	0	Imported cases only	35	
New Zealand	1	0	0	0	Imported cases only	3	
European Region		<u> </u>	0		imported cases only		
Italy	1689	561	35	6	Local transmission	0	
Germany	129	72	0	0	Local transmission	0	
France	100	0	2	0	Local transmission	1	
Spain	45	0	0	0	Local transmission	1	
the United Kingdom	36	13	0	0	Local transmission	0	
Switzerland	24	6	0	0	Local transmission	0	
	19	4	0	0	Local transmission	0	
Norway Sweden	14	1	0	0	Local transmission	0	
Netherlands	13	6	0	0	Local transmission	0	
	10	0	0	0		1	
Austria	7	0	0	0	Imported cases only Local transmission	1	
Croatia	7	4	0	0	Local transmission	0	
Greece Israel	7	0	0	0	Local transmission	1	
Finland	6	4	0	0	Local transmission	0	
Denmark	4	1	0	0	Local transmission	0	
	3	0	0	0		1	
Azerbaijan Czechia	3		0	-	Imported cases only Imported cases only	0	
	3	3 0	0	0	· ·	1	
Georgia					Imported cases only		
Romania	3	0	0	0	Imported cases only	0	
Iceland	2	2			Imported cases only		
Russian Federation	2	0	0	0	Imported cases only	31	
Armenia	1	1	0	0	Imported cases only	0	
Belarus	1	0	0	0	Imported cases only	3	
Belgium	1	0	0	0	Imported cases only	27	
Estonia	1	0	0	0	Imported cases only	4	
Ireland	1	0	0	0	Imported cases only	1	
Lithuania	1	0	0	0	Imported cases only	3	
Luxembourg	1	1	0	0	Imported cases only	0	
Monaco	1	0	0	0	Under investigation	1	
North Macedonia	1	0	0	0	Imported cases only	5	
San Marino	1	0	0	0	Local transmission	2	
South-East Asia Region							
Thailand	42	0	1	1	Local transmission	2	
India	3	0	0	0	Imported cases only	28	
Indonesia	2	2	0	0	Local transmission	0	
Nepal	1	0	0	0	Imported cases only	38**	
Sri Lanka	1	0	0	0	Imported cases only	35	

Eastern Mediterranea	an Region					
Iran (Islamic Republic of)	978	385	54	11	Local transmission	0
Kuwait	56	11	0	0	Imported cases only	0
Bahrain	47	7	0	0	Imported cases only	0
United Arab Emirates	21	2	0	0	Local transmission	0
Iraq	19	6	0	0	Imported cases only	0
Lebanon	10§§	1	0	0	Imported cases only	0
Oman	6	0	0	0	Imported cases only	3
Pakistan	4	0	0	0	Imported cases only	1
Qatar	3	2	0	0	Imported cases only	0
Egypt	2	1	0	0	Imported cases only	0
Afghanistan	1	0	0	0	Imported cases only	7
Region of the America	as					
the United States	62	2	0	0	Local transmission	0
Canada	19	0	0	0	Local transmission	1
Mexico	5	3	0	0	Imported cases only	0
Brazil	2	0	0	0	Imported cases only	1
Dominican Republic	1	1	0	0	Imported cases only	0
Ecuador	1	0	0	0	Imported cases only	1
African Region						
Algeria	1	0	0	0	Imported cases only	6
Nigeria	1	0	0	0	Imported cases only	3
Subtotal for all	8068	1599	122	24		
regions	8008	1599	122	24		
International						
conveyance	706	1	6	0	Local transmission	0
(Diamond Princess) ‡						
Grand total <sup>§</sup>	8774	1600	128	24		

<sup>\*</sup>Case classifications are based on WHO case definitions for COVID-19.

†Transmission classification is based on WHO analysis of available official data and may be subject to reclassification as additional data become available. Countries/territories/areas experiencing multiple types of transmission are classified in the highest category for which there is evidence; they may be removed from a given category if interruption of transmission can be demonstrated. It should be noted that even within categories, different countries/territories/areas may have differing degrees of transmission as indicated by the differing numbers of cases and other factors. Not all locations within a given country/territory/area are equally affected.

#### Terms:

- **Community transmission** is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.
- Local transmission indicates locations where the source of infection is within the reporting location.
- **Imported cases only** indicates locations where all cases have been acquired outside the location of reporting.
- Under investigation indicates locations where type of transmission has not been determined for any cases.
- Interrupted transmission indicates locations where interruption of transmission has been demonstrated (details to be determined)

Erratum: Transmission classification for the Dominican Republic, Israel and Sweden have been corrected. Number of cases and days since last reported case in the United States have been corrected.


<sup>&</sup>lt;sup>‡</sup>Cases identified on a cruise ship currently in Japanese territorial waters.

<sup>§302</sup> female/411 male/8061 unknown. 32 healthcare workers (8 female/12 male/ 12 unknown).

<sup>\*\*</sup>Corrected from prior days due to correction of date of report

<sup>§§</sup>Corrected from prior days due to verification of data

Figure 2. Epidemic curve of confirmed COVID-19 cases reported outside of China, by date of report and WHO region with complete days of reporting through 01 March 2020



#### STRATEGIC OBJECTIVES

WHO's strategic objectives for this response are to:

- Interrupt human-to-human transmission including reducing secondary infections among close contacts and health care workers, preventing transmission amplification events, and preventing further international spread\*;
- Identify, isolate and care for patients early, including providing optimized care for infected patients;
- Identify and reduce transmission from the animal source;
- Address crucial unknowns regarding clinical severity, extent of transmission and infection, treatment
  options, and accelerate the development of diagnostics, therapeutics and vaccines;
- Communicate critical risk and event information to all communities and counter misinformation;
- Minimize social and economic impact through multisectoral partnerships.

\*This can be achieved through a combination of public health measures, such as rapid identification, diagnosis and management of the cases, identification and follow up of the contacts, infection prevention and control in health care settings, implementation of health measures for travelers, awareness-raising in the population and risk communication.

#### PREPAREDNESS AND RESPONSE

- To view all technical guidance documents regarding COVID-19, please go to this webpage.
- WHO is working closely with International Air Transport Association (IATA) and have jointly developed a guidance document to provide advice to cabin crew and airport workers, based on country queries. The guidance can be found on the IATA webpage.
- WHO has been in regular and direct contact with Member States where cases have been reported. WHO is also informing other countries about the situation and providing support as requested.

- WHO has developed interim guidance for laboratory diagnosis, advice on the use of masks during home care and in health care settings in the context of the novel coronavirus (2019-nCoV) outbreak, clinical management, infection prevention and control in health care settings, home care for patients with suspected novel coronavirus, risk communication and community engagement and Global Surveillance for human infection with novel coronavirus (2019-nCoV).
- WHO is working with its networks of researchers and other experts to coordinate global work on surveillance, epidemiology, mathematical modelling, diagnostics and virology, clinical care and treatment, infection prevention and control, and risk communication. WHO has issued interim guidance for countries, which are updated regularly.
- WHO has prepared a <u>disease commodity package</u> that includes an essential list of biomedical equipment, medicines and supplies necessary to care for patients with 2019-nCoV.
- WHO has provided recommendations to reduce risk of transmission from animals to humans.
- WHO has published an <u>updated advice for international traffic in relation to the outbreak of the novel</u> coronavirus 2019-nCoV.
- WHO has activated the R&D blueprint to accelerate diagnostics, vaccines, and therapeutics.
- WHO has developed online courses on the following topics: A general introduction to emerging respiratory viruses, including novel coronaviruses (available in French, Chinese, Spanish, and Portuguese); Critical Care of Severe Acute Respiratory Infections; and Health and safety briefing for respiratory diseases ePROTECT (available in French); Infection Prevention and Control for Novel Coronavirus (COVID-19); Critical Care Severe Acute Respiratory Infection
- WHO is providing guidance on early investigations, which are critical in an outbreak of a new virus. The data collected from the protocols can be used to refine recommendations for surveillance and case definitions, to characterize the key epidemiological transmission features of COVID-19, help understand spread, severity, spectrum of disease, impact on the community and to inform operational models for implementation of countermeasures such as case isolation, contact tracing and isolation. Several protocols are available here: <a href="https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/early-investigations">https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/early-investigations</a>
  One such protocol is for the investigation of early COVID-19 cases and contacts (the "First Few X (FFX) Cases and contact investigation protocol for 2019-novel coronavirus (2019-nCoV) infection"). The protocol is designed to gain an early understanding of the key clinical, epidemiological and virological characteristics of the first cases of COVID-19 infection detected in any individual country, to inform the development and updating of public health guidance to manage cases and reduce the potential spread and impact of infection.

#### RECOMMENDATIONS AND ADVICE FOR THE PUBLIC

If you are not in an area where COVID-19 is spreading, or have not travelled from an area where COVID-19 is spreading, or have not been in contact with an infected patient, your risk of infection is low. It is understandable that you may feel anxious about the outbreak. Get the facts from reliable sources to help you accurately determine your risks so that you can take reasonable precautions (See <a href="Frequently Asked Questions">Frequently Asked Questions</a>). Seek guidance from WHO, your healthcare provider, your national public health authority or your employer for accurate information on COVID-19 and whether COVID-19 is circulating where you live. It is important to be informed of the situation and take appropriate measures to protect yourself and your family (see <a href="Protection measures for everyone">Protection measures for everyone</a>).

If you are in an area where there are cases of COVID-19 you need to take the risk of infection seriously. Follow the advice of WHO and guidance issued by national and local health authorities. For most people, COVID-19 infection will cause mild illness however, it can make some people very ill and, in some people, it can be fatal. Older people, and those with pre-existing medical conditions (such as cardiovascular disease, chronic respiratory disease or diabetes) are at risk for severe disease (See <u>Protection measures for persons who are in or have recently visited (past 14 days) areas where COVID-19 is spreading).</u>